		SOLAR OPTICAL PROPERTIES				SHGC/G VALUE g-tot (glass & blind)	
Code	Color	TS	RS	AS	TV	SINGLE 1/4 CL	INSULATING 1 HA
STYLE 4650 - 3%							
P10	Granite	6	55	39	8	0.33	0.24
P65	Linen	7	58	35	8	0.31	0.23
V45	Coal	5	47	48	7	0.37	0.26
V47	Chestnut	7	48	45	8	0.37	0.26
STYLE 4550 - 5%							
P10	Granite	7	56	37	8	0.33	0.24
P65	Linen	9	59	32	10	0.32	0.23
V45	Coal	8	48	44	9	0.37	0.26
V47	Chestnut	9	48	43	11	0.37	0.26





Microban® antimicrobial protection inhibits the growth of stain-causing bacteria, mold and mildew on the shade.



PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS UL.COM/GG UL 2818



MIF Seal of Approval













TS = Solar Transmittance RS = Solar Reflectance

AS = Solar Absorption

TV = Visual Transmittance

SHGC = Solar Heat Gain Coefficient

1/4 CL = 1/4" Clear Glass 1 HA = 1" Heat Absorbing Glass

Fabrics Installed Internally Zero-Degree Profile Angle

For additional performance values, test references and technical definitions visit us at www.phifer.com.

STYLE 4650 / 4550 SPECIFICATIONS

Using thin polyester yarns and a unique twill weave, Styles 4650 and 4550 are easy to fabricate and offer a distinct two-sided appearance that maximizes both visibility and solar heat reduction. Style 4650/4550 can also be used in exterior roller shades.

> FIRE California U.S. Title 19 (small scale) NFPA 701 TM#1 (small scale)

CLASSIFICATION NFPA 101 (Class A Rating) IBC Section 803.1.1 (Class A Rating)

BS 5867 Part 2 Type B Performance NFPA 701 TM#2 (large scale) CAN/ULC-S 109-03 (large and small scale)

ASTM G21 AATCC30 Part 3 **BACTERIA ASTM E 2180 ASTM D 3273**

AND FUNGAL GREENGUARD Mold and Bacteria Standard ASTM 6329

RESISTANCE includes Microban antimicrobial additives

ENVIRONMENTAL **GREENGUARD** GREENGUARD Gold

CERTIFICATION Certified to these standards for low chemical emissions into indoor air during product usage

LEAD FREE RoHS/Directive 2002/95/EC REACH (EC 1907/2006) compliant

ANSI/WCMA A 100.1-2007 for lead content

US Consumer Product Safety Commission Section 101

WARRANTY 10-year interior 5-year exterior

ACOUSTICAL NRC (Noise Reduction Coefficient) and SAA (Sound Absorption Average) tested in accordance with

PERFORMANCE ASTM C423-09a

UV PROTECTION Seal of Approval by the Melanoma International Foundation (MIF) for effectiveness in preventing sun

damage to the skin or eyes

STYLE 4550 4650

> **WIDTHS** 63" and 98" 63" and 98"

> > 160.0 cm and 248.9 cm 160.0 cm and 248.9 cm

ROLL LENGTH 30 Linear Yards 30 Linear Yards

> 27.4 m 27.4 m

COMPOSITION 17% Polyester 17% Polyester

> 83% Vinyl on Polyester 83% Vinyl on Polyester

MESH WEIGHT 13.3 oz/yd² 12.5 oz/yd2

450.96 g/m² 423.83 g/m²

FABRIC THICKNESS 0.026 in 0.025 in

0.66 mm 0.64 mm

OPENNESS FACTOR Approximately 3% Approximately 5%

UV BLOCKAGE Approximately 97% Approximately 95%

ACOUSTICAL VALUE NRC .15 / SAA .18 NRC .10 / SAA .11





